ELSEVIER

Volume 176, Issues 1–3, 6 June 2006

Journal of
Materials
Processing
Technology

www.elsevier.com/locate/jmatprotec

Contents

The Journal of Materials Processing Technology in year 2005 and beyond: What the authors and reviewers should know 1
S. Hashmi

Numerical constraint disposal for boundary friction in sheet metal forming 4
L. Yuqi, L. Junhua

Study on brazing of TiNi shape memory alloy with stainless steels 8
X.M. Qiu, M.G. Li, D.Q. Sun, W.H. Liu

Study on instability of the point bolster sheet metal dieless forming 13
F. Mao, J.H. Mo, S.H. Huang

Effect of super-rapid induction quenching on fatigue fracture behavior of spherical graphite cast iron FCD500 19
J.-D. Kim, J.-K. Ji

Reduction of the heat treatment process for Al-based alloys by utilization of heat from the solidification process 24
X. Chen, W. Kasprzak, J.H. Sokolowski

The effect of injection velocity on liquid segregation and mechanical properties in arm part fabricated by semi-solid die casting process 32
C.G. Kang, P.K. Seo, S.S. Kang

Effect of low temperature tempering prior cryogenic treatment on carburized steels 41
M. Preciado, P.M. Bravo, J.M. Alegre

Effects of die shape and injection conditions proposed with numerical integration design on liquid segregation and mechanical properties in semi-solid die casting process 45
P.K. Seo, D.U. Kim, C.G. Kang

Control system of a mini hydraulic press for evaluating springback in sheet metal forming 55
P. Sun, J.J. Grácio, J.A. Ferreira

New short time face turning method for testing the machinability of PM steels 62
A. Šalak, K. Vasilko, M. Selecká, H. Danninger

A numerical investigation on the use of drawbeads to minimize ear formation in deep drawing 70
V. Vahdat, S. Santhanam, Y.W. Chun

Simple thermo-elastic–plastic models for welding distortion simulation 77
P. Mollicone, D. Camilleri, T.G.F. Gray, T. Comlekci

Spheroidization of metal and ceramic powders in thermal plasma jet: Comparison between experimental results and theoretical estimation 87
S. Kumar, V. Selvarajan, P.V.A. Padmanabhan, K.P. Sreekumar

Defect characterization in Al welded joints by non-contact Lamb wave technique 95
M. Arone, D. Cerniglia, V. Nigrelli

Composite layer-based analytical models for tool–chip interface temperatures in machining medium carbon steels with multi-layer coated cutting tools 102
W. Grzesik

The publisher encourages the submission of articles in electronic form thus saving time and avoiding rekeying errors. A leaflet describing our requirements is available from the publisher upon request.

Elsevier B.V.

A study on development of inductive sensor for automatic weld seam tracking 111
K.-Y. Bae, J.-H. Park

Finite element simulation of high-speed cutting forces 117
M. Bäker

Effect of welding nugget diameter on the fatigue strength of the resistance spot welded joints of different steel sheets 127
M. Vural, A. Akkuş, B. Eryürek

Investigation through factorial design on novel method of preparing vanadium carbide using carbon during aluminothermic reduction 133
R. Venugopalan, D. Sathiyamoorthy

Effects of the surface temperature and cooling rate on the residual stresses in a flame hardening of 12Cr steel 140
M.K. Lee, G.H. Kim, K.H. Kim, W.W. Kim

Fabrication of Al-based hybrid composites reinforced with SiC whiskers and SiC nanoparticles by squeeze casting 146
X.N. Zhang, L. Geng, G.S. Wang

Study on mechanisms of burr formation and edge breakout near the exit of orthogonal cutting 152
G.-L. Chern

Fuzzy control of pulsed GTA welds by using real-time root bead image feedback 158
C.-H. Tsai, K.-H. Hou, H.-T. Chuang

Pitting and galvanic corrosion behavior of laser-welded stainless steels 168
C.T. Kwok, S.L. Fong, F.T. Cheng, H.C. Man

$Al_xTi_{1-x}N$ hard coatings synthesized by reactive sputtering using mosaic target 179
W. Zhao, F. Mei, Y. Dong, G. Li

An investigation of lapping characteristics for improving the form error of an aspheric lens 183
H.-C. Chuang, P.-L. Tso

Development of a novel hybrid aluminum-based composite with enhanced properties 191
M. Gupta, M.O. Lai, C.Y.H. Lim

Modeling the injection molding processing of a polypropylene closure having an integral hinge 200
R.A. Tatara, R.M. Sievers, V. Hierzer

A new binder for powder injection molding titanium and other reactive metals 205
K. Scott Weil, E. Nyberg, K. Simmons

Surface hardening of metallic alloys by electrospark deposition followed by plasma nitriding 210
M.A. Béjar, W. Schnake, W. Saavedra, J.P. Vildósola

A contribution to a qualitative understanding of thermo-mechanical effects during chip formation in hard turning 214
T. Mabrouki, J.-F. Rigal

Studies on rheology of ceramic inks and spread of ink droplets for direct ceramic ink jet printing 222
P.S.R.K. Prasad, A.V. Reddy, P.K. Rajesh, P. Ponnambalam, K. Prakasan

Effect of flux cored arc welding process parameters on duplex stainless steel clad quality 230
T. Kannan, N. Murugan

On the heat treatment of Rene-80 nickel-base superalloy 240
J. Safari, S. Nategh

Numerical studies on processing routes and deformation mechanism of multi-pass equal channel angular pressing processes 251
S. Xu, G. Zhao, Y. Luan, Y. Guan

Analysis of deformation behavior in 3D during equal channel angular extrusion 260
J.K. Kim, W.J. Kim

Model experiment of mold filling process in vertical centrifugal casting 268
L. Changyun, W. Shiping, G. Jingjie, S. Yanqing, B. Weisheng, F. Hengzhi

A technical note on the characterization of electroformed nickel shells for their application to injection molds 273
M.D. Monzon, M.D. Marrero, A.N. Benitez, P.M. Hernandez, J.F. Cardenes

Author index 278

Subject index 279

ELSEVIER

Journal of Materials Processing Technology 176 (2006) 278

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

Author Index of Volume 176

Akkuş, A., 127
Alegre, J.M., 41
Arone, M., 95

Bae, K.-Y., 111
Bäker, M., 117
Benitez, A.N., 273
Béjar, M.A., 210
Bravo, P.M., 41

Camilleri, D., 77
Cardenes, J.F., 273
Cerniglia, D., 95
Changyun, L., 268
Chen, X., 24
Cheng, F.T., 168
Chern, G.-L., 152
Chuang, H.-C., 183
Chuang, H.-T., 158
Chun, Y.W., 70
Comlekci, T., 77

Danninger, H., 62
Dong, Y., 179

Eryürek, B., 127

Ferreira, J.A., 55
Fong, S.L., 168

Geng, L., 146
Grácio, J.J., 55
Gray, T.G.F., 77
Grzesik, W., 102
Guan, Y., 251
Gupta, M., 191

Hashmi, S., 1
Hengzhi, F., 268
Hernandez, P.M., 273
Hierzer, V., 200
Hou, K.-H., 158
Huang, S.H., 13

Ji, J.-K., 19
Jingjie, G., 268
Junhua, L., 4

Kang, C.G., 32, 45
Kang, S.S., 32
Kannan, T., 230
Kasprzak, W., 24
Kim, D.U., 45
Kim, G.H., 140
Kim, J.-D., 19
Kim, J.K., 260
Kim, K.H., 140
Kim, W.J., 260
Kim, W.W., 140
Kumar, S., 87
Kwok, C.T., 168

Lai, M.O., 191
Lee, M.K., 140
Li, G., 179
Li, M.G., 8
Lim, C.Y.H., 191
Liu, W.H., 8
Luan, Y., 251

Mabrouki, T., 214
Man, H.C., 168
Mao, F., 13
Marrero, M.D., 273
Mei, F., 179
Mo, J.H., 13
Mollicone, P., 77
Monzon, M.D., 273
Murugan, N., 230

Nategh, S., 240
Nigrelli, V., 95
Nyberg, E., 205

Padmanabhan, P.V.A., 87
Park, J.-H., 111
Ponnambalam, P., 222
Prakasan, K., 222
Prasad, P.S.R.K., 222
Preciado, M., 41

Qiu, X.M., 8

Rajesh, P.K., 222
Reddy, A.V., 222
Rigal, J.-F., 214

Saavedra, W., 210
Safari, J., 240
Šalak, A., 62
Santhanam, S., 70
Sathiyamoorthy, D., 133
Schnake, W., 210
Scott Weil, K., 205
Selecká, M., 62
Selvarajan, V., 87
Seo, P.K., 32, 45
Shiping, W., 268
Sievers, R.M., 200
Simmons, K., 205
Sokolowski, J.H., 24
Sreekumar, K.P., 87
Sun, D.Q., 8
Sun, P., 55

Tatara, R.A., 200
Tsai, C.-H., 158
Tso, P.-L., 183

Vahdat, V., 70
Vasilko, K., 62
Venugopalan, R., 133
Vildósola, J.P., 210
Vural, M., 127

Wang, G.S., 146
Weisheng, B., 268

Xu, S., 251

Yanqing, S., 268
Yuqi, L., 4

Zhang, X.N., 146
Zhao, G., 251
Zhao, W., 179

Elsevier B.V.
doi:10.1016/S0924-0136(06)00545-0

ELSEVIER

Journal of Materials Processing Technology 176 (2006) 279–283

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

Subject Index of Volume 176

Aging
On the heat treatment of Rene-80 nickel-base superalloy, 240
Air-coupled transducer
Defect characterization in Al welded joints by non-contact Lamb wave technique, 95
Aluminum
Development of a novel hybrid aluminum-based composite with enhanced properties, 191
Aluminum alloy
Fabrication of Al-based hybrid composites reinforced with SiC whiskers and SiC nanoparticles by squeeze casting, 146
$Al_xTi_{1-x}N$ coating
$Al_xTi_{1-x}N$ hard coatings synthesized by reactive sputtering using mosaic target, 179
Analytical modelling
Composite layer-based analytical models for tool–chip interface temperatures in machining medium carbon steels with multi-layer coated cutting tools, 102
Analyzed signal
Effect of super-rapid induction quenching on fatigue fracture behavior of spherical graphite cast iron FCD500, 19
Anisotropy
A numerical investigation on the use of drawbeads to minimize ear formation in deep drawing, 70
Argon plasma
Spheroidization of metal and ceramic powders in thermal plasma jet: Comparison between experimental results and theoretical estimation, 87
Aspheric lens
An investigation of lapping characteristics for improving the form error of an aspheric lens, 183
Austenitic stainless steel
Effect of welding nugget diameter on the fatigue strength of the resistance spot welded joints of different steel sheets, 127
Automatic-welding
Fuzzy control of pulsed GTA welds by using real-time root bead image feedback, 158
Average AE energy
Effect of super-rapid induction quenching on fatigue fracture behavior of spherical graphite cast iron FCD500, 19

Blank
A numerical investigation on the use of drawbeads to minimize ear formation in deep drawing, 70
Bottom filling
Model experiment of mold filling process in vertical centrifugal casting, 268
Burr formation
Study on mechanisms of burr formation and edge breakout near the exit of orthogonal cutting, 152
Butt welding
Simple thermo-elastic–plastic models for welding distortion simulation, 77

Carbides
On the heat treatment of Rene-80 nickel-base superalloy, 240
Carbo-aluminothermic reduction
Investigation through factorial design on novel method of preparing vanadium carbide using carbon during aluminothermic reduction, 133
Carburization
Effect of low temperature tempering prior cryogenic treatment on carburized steels, 41
Cast iron
Surface hardening of metallic alloys by electrospark deposition followed by plasma nitriding, 210
Cavity filling
Modeling the injection molding processing of a polypropylene closure having an integral hinge, 200
Centrifugal casting
Model experiment of mold filling process in vertical centrifugal casting, 268
Chip formation
Finite element simulation of high-speed cutting forces, 117
Clad quality parameters
Effect of flux cored arc welding process parameters on duplex stainless steel clad quality, 230
Coated carbides
Composite layer-based analytical models for tool–chip interface temperatures in machining medium carbon steels with multi-layer coated cutting tools, 102
Coefficient of thermal expansion
Development of a novel hybrid aluminum-based composite with enhanced properties, 191
Composites
Development of a novel hybrid aluminum-based composite with enhanced properties, 191
Constraint disposal
Numerical constraint disposal for boundary friction in sheet metal forming, 4
Contour plot
Investigation through factorial design on novel method of preparing vanadium carbide using carbon during aluminothermic reduction, 133
Control system
Control system of a mini hydraulic press for evaluating springback in sheet metal forming, 55
Copper alloys
Surface hardening of metallic alloys by electrospark deposition followed by plasma nitriding, 210
Cutting speed
Finite element simulation of high-speed cutting forces, 117

Deep cryogenic
Effect of low temperature tempering prior cryogenic treatment on carburized steels, 41

Elsevier B.V.
doi:10.1016/S0924-0136(06)00546-2

Deep drawing
A numerical investigation on the use of drawbeads to minimize ear formation in deep drawing, 70
Die design
The effect of injection velocity on liquid segregation and mechanical properties in arm part fabricated by semi-solid die casting process, 32
Direct ceramic ink jet printing
Studies on rheology of ceramic inks and spread of ink droplets for direct ceramic ink jet printing, 222
Dispersant
Studies on rheology of ceramic inks and spread of ink droplets for direct ceramic ink jet printing, 222
Distortion
Simple thermo-elastic–plastic models for welding distortion simulation, 77
Drawbead
A numerical investigation on the use of drawbeads to minimize ear formation in deep drawing, 70
Drop on demand
Studies on rheology of ceramic inks and spread of ink droplets for direct ceramic ink jet printing, 222
Duplex stainless steels
Effect of flux cored arc welding process parameters on duplex stainless steel clad quality, 230
Dynamic buckling
Study on instability of the point bolster sheet metal dieless forming, 13

Earing
A numerical investigation on the use of drawbeads to minimize ear formation in deep drawing, 70
ECAE
Analysis of deformation behavior in 3D during equal channel angular extrusion, 260
Edge breakout
Study on mechanisms of burr formation and edge breakout near the exit of orthogonal cutting, 152
Edge detection
Fuzzy control of pulsed GTA welds by using real-time root bead image feedback, 158
Electroforming
A technical note on the characterization of electroformed nickel shells for their application to injection molds, 273
Electromagnetic sensor
A study on development of inductive sensor for automatic weld seam tracking, 111
Electroplating
A technical note on the characterization of electroformed nickel shells for their application to injection molds, 273
Electrospark
Surface hardening of metallic alloys by electrospark deposition followed by plasma nitriding, 210
Equal channel angular pressing
Numerical studies on processing routes and deformation mechanism of multi-pass equal channel angular pressing processes, 251
Evaluation
Control system of a mini hydraulic press for evaluating springback in sheet metal forming, 55

Face turning
New short time face turning method for testing the machinability of PM steels, 62
Factorial design
Investigation through factorial design on novel method of preparing vanadium carbide using carbon during aluminothermic reduction, 133
Fatigue limit
Effect of super-rapid induction quenching on fatigue fracture behavior of spherical graphite cast iron FCD500, 19
Fatigue resistance
Effect of welding nugget diameter on the fatigue strength of the resistance spot welded joints of different steel sheets, 127
FCAW
Effect of flux cored arc welding process parameters on duplex stainless steel clad quality, 230
FCD500
Effect of super-rapid induction quenching on fatigue fracture behavior of spherical graphite cast iron FCD500, 19
δ-Ferrite
Pitting and galvanic corrosion behavior of laser-welded stainless steels, 168
Filling ability
Model experiment of mold filling process in vertical centrifugal casting, 268
Finite element
Numerical constraint disposal for boundary friction in sheet metal forming, 4
A numerical investigation on the use of drawbeads to minimize ear formation in deep drawing, 70
Finite element simulation
Finite element simulation of high-speed cutting forces, 117
Finite-element analysis
Simple thermo-elastic–plastic models for welding distortion simulation, 77
Numerical studies on processing routes and deformation mechanism of multi-pass equal channel angular pressing processes, 251
Flame hardening
Effects of the surface temperature and cooling rate on the residual stresses in a flame hardening of 12Cr steel, 140
Flow simulation
Modeling the injection molding processing of a polypropylene closure having an integral hinge, 200
319 Foundry alloy
Reduction of the heat treatment process for Al-based alloys by utilization of heat from the solidification process, 24
Fractography
Study on mechanisms of burr formation and edge breakout near the exit of orthogonal cutting, 152
Friction
Numerical constraint disposal for boundary friction in sheet metal forming, 4
Fuzzy Control
Fuzzy control of pulsed GTA welds by using real-time root bead image feedback, 158

Galvanic corrosion
Pitting and galvanic corrosion behavior of laser-welded stainless steels, 168
Galvanized steel
Effect of welding nugget diameter on the fatigue strength of the resistance spot welded joints of different steel sheets, 127
Gap width
A study on development of inductive sensor for automatic weld seam tracking, 111
Generation
An investigation of lapping characteristics for improving the form error of an aspheric lens, 183
GTAW
Fuzzy control of pulsed GTA welds by using real-time root bead image feedback, 158

Hardness
Effects of the surface temperature and cooling rate on the residual stresses in a flame hardening of 12Cr steel, 140
Heat treatment
Reduction of the heat treatment process for Al-based alloys by utilization of heat from the solidification process, 24
On the heat treatment of Rene-80 nickel-base superalloy, 240

Height control
A study on development of inductive sensor for automatic weld seam tracking, 111
Hybrid composites
Fabrication of Al-based hybrid composites reinforced with SiC whiskers and SiC nanoparticles by squeeze casting, 146
Hydraulic simulation
Model experiment of mold filling process in vertical centrifugal casting, 268

Image processing
Fuzzy control of pulsed GTA welds by using real-time root bead image feedback, 158
Injection condition
Effects of die shape and injection conditions proposed with numerical integration design on liquid segregation and mechanical properties in semi-solid die casting process, 45
Injection molding
Modeling the injection molding processing of a polypropylene closure having an integral hinge, 200
Ink jet printing
Studies on rheology of ceramic inks and spread of ink droplets for direct ceramic ink jet printing, 222
Interface temperature
Composite layer-based analytical models for tool–chip interface temperatures in machining medium carbon steels with multi-layer coated cutting tools, 102
Irregularity parameter
Spheroidization of metal and ceramic powders in thermal plasma jet: Comparison between experimental results and theoretical estimation, 87

Lamb waves
Defect characterization in Al welded joints by non-contact Lamb wave technique, 95
Lapping
An investigation of lapping characteristics for improving the form error of an aspheric lens, 183
Laser brazing
Study on brazing of TiNi shape memory alloy with stainless steels, 8
Laser generation
Defect characterization in Al welded joints by non-contact Lamb wave technique, 95
Laser welding
Pitting and galvanic corrosion behavior of laser-welded stainless steels, 168
Liquid segregation
Effects of die shape and injection conditions proposed with numerical integration design on liquid segregation and mechanical properties in semi-solid die casting process, 45

Machinability
New short time face turning method for testing the machinability of PM steels, 62
Machining
Composite layer-based analytical models for tool–chip interface temperatures in machining medium carbon steels with multi-layer coated cutting tools, 102
Finite element simulation of high-speed cutting forces, 117
A contribution to a qualitative understanding of thermo-mechanical effects during chip formation in hard turning, 214
Martensitic transformation
Effects of the surface temperature and cooling rate on the residual stresses in a flame hardening of 12Cr steel, 140
Mathematical models
Effect of flux cored arc welding process parameters on duplex stainless steel clad quality, 230
Mechanical properties
The effect of injection velocity on liquid segregation and mechanical properties in arm part fabricated by semi-solid die casting process, 32
Effects of die shape and injection conditions proposed with numerical integration design on liquid segregation and mechanical properties in semi-solid die casting process, 45
$Al_xTi_{1-x}N$ hard coatings synthesized by reactive sputtering using mosaic target, 179
Development of a novel hybrid aluminum-based composite with enhanced properties, 191
Mechanical testing
Reduction of the heat treatment process for Al-based alloys by utilization of heat from the solidification process, 24
Melting time
Spheroidization of metal and ceramic powders in thermal plasma jet: Comparison between experimental results and theoretical estimation, 87
Metallurgical simulations
Reduction of the heat treatment process for Al-based alloys by utilization of heat from the solidification process, 24
Microdroplet deposition
Studies on rheology of ceramic inks and spread of ink droplets for direct ceramic ink jet printing, 222
Microstructure
Study on brazing of TiNi shape memory alloy with stainless steels, 8
$Al_xTi_{1-x}N$ hard coatings synthesized by reactive sputtering using mosaic target, 179
Development of a novel hybrid aluminum-based composite with enhanced properties, 191
On the heat treatment of Rene-80 nickel-base superalloy, 240
A technical note on the characterization of electroformed nickel shells for their application to injection molds, 273
MOLDFLOW
Modeling the injection molding processing of a polypropylene closure having an integral hinge, 200
Mosaic target
$Al_xTi_{1-x}N$ hard coatings synthesized by reactive sputtering using mosaic target, 179

Nickel
A technical note on the characterization of electroformed nickel shells for their application to injection molds, 273
Nickel base superalloy
On the heat treatment of Rene-80 nickel-base superalloy, 240
Node mapping method
Numerical studies on processing routes and deformation mechanism of multi-pass equal channel angular pressing processes, 251
Non-contact ultrasonic inspection
Defect characterization in Al welded joints by non-contact Lamb wave technique, 95
2D numerical model
A contribution to a qualitative understanding of thermo-mechanical effects during chip formation in hard turning, 214

Orthogonal cutting
Study on mechanisms of burr formation and edge breakout near the exit of orthogonal cutting, 152

Pad
An investigation of lapping characteristics for improving the form error of an aspheric lens, 183
Pitting corrosion
Pitting and galvanic corrosion behavior of laser-welded stainless steels, 168
Plasma nitriding
Surface hardening of metallic alloys by electrospark deposition followed by plasma nitriding, 210

Plastic forming
Study on instability of the point bolster sheet metal dieless forming, 13
Point bolster
Study on instability of the point bolster sheet metal dieless forming, 13
Polishing
An investigation of lapping characteristics for improving the form error of an aspheric lens, 183
Powder injection molding
A new binder for powder injection molding titanium and other reactive metals, 205
Powder metallurgy
New short time face turning method for testing the machinability of PM steels, 62
Processing route
Numerical studies on processing routes and deformation mechanism of multi-pass equal channel angular pressing processes, 251

Reactive metals
A new binder for powder injection molding titanium and other reactive metals, 205
Reactive sputtering
$Al_xTi_{1-x}N$ hard coatings synthesized by reactive sputtering using mosaic target, 179
Reheating process
The effect of injection velocity on liquid segregation and mechanical properties in arm part fabricated by semi-solid die casting process, 32
Residence time
Spheroidization of metal and ceramic powders in thermal plasma jet: Comparison between experimental results and theoretical estimation, 87
Residual stress
Effects of the surface temperature and cooling rate on the residual stresses in a flame hardening of 12Cr steel, 140
Resistance spot welding
Effect of welding nugget diameter on the fatigue strength of the resistance spot welded joints of different steel sheets, 127
Retained austenite
Effect of low temperature tempering prior cryogenic treatment on carburized steels, 41
Roundness
Spheroidization of metal and ceramic powders in thermal plasma jet: Comparison between experimental results and theoretical estimation, 87

Seam tracking
A study on development of inductive sensor for automatic weld seam tracking, 111
Sediment packing density
Studies on rheology of ceramic inks and spread of ink droplets for direct ceramic ink jet printing, 222
Segmented chip
A contribution to a qualitative understanding of thermo-mechanical effects during chip formation in hard turning, 214
Semi-solid die casting
Effects of die shape and injection conditions proposed with numerical integration design on liquid segregation and mechanical properties in semi-solid die casting process, 45
The effect of injection velocity on liquid segregation and mechanical properties in arm part fabricated by semi-solid die casting process, 32
Serration grain boundaries
On the heat treatment of Rene-80 nickel-base superalloy, 240
Sheet metal dieless forming
Study on instability of the point bolster sheet metal dieless forming, 13
Sheet metal forming
Numerical constraint disposal for boundary friction in sheet metal forming, 4
Control system of a mini hydraulic press for evaluating springback in sheet metal forming, 55
SiC nanoparticle
Fabrication of Al-based hybrid composites reinforced with SiC whiskers and SiC nanoparticles by squeeze casting, 146
SiC whisker
Fabrication of Al-based hybrid composites reinforced with SiC whiskers and SiC nanoparticles by squeeze casting, 146
3D simulation
Analysis of deformation behavior in 3D during equal channel angular extrusion, 260
Simulation
Simple thermo-elastic–plastic models for welding distortion simulation, 77
Sintered steels
New short time face turning method for testing the machinability of PM steels, 62
Solid freeform fabrication
Studies on rheology of ceramic inks and spread of ink droplets for direct ceramic ink jet printing, 222
Solidification process
Reduction of the heat treatment process for Al-based alloys by utilization of heat from the solidification process, 24
Spherical graphite
Effect of super-rapid induction quenching on fatigue fracture behavior of spherical graphite cast iron FCD500, 19
Spheroidization
Spheroidization of metal and ceramic powders in thermal plasma jet: Comparison between experimental results and theoretical estimation, 87
Spring elements
Numerical constraint disposal for boundary friction in sheet metal forming, 4
Springback
Control system of a mini hydraulic press for evaluating springback in sheet metal forming, 55
Squeeze casting
Fabrication of Al-based hybrid composites reinforced with SiC whiskers and SiC nanoparticles by squeeze casting, 146
Stainless steels
Study on brazing of TiNi shape memory alloy with stainless steels, 8
Pitting and galvanic corrosion behavior of laser-welded stainless steels, 168
12Cr steel
Effects of the surface temperature and cooling rate on the residual stresses in a flame hardening of 12Cr steel, 140
Steepest ascent method
Investigation through factorial design on novel method of preparing vanadium carbide using carbon during aluminothermic reduction, 133
Strain uniformity
Analysis of deformation behavior in 3D during equal channel angular extrusion, 260
Strength
Study on brazing of TiNi shape memory alloy with stainless steels, 8
Stress component
Analysis of deformation behavior in 3D during equal channel angular extrusion, 260
Super-rapid induction quenching
Effect of super-rapid induction quenching on fatigue fracture behavior of spherical graphite cast iron FCD500, 19
Surface hardening
Surface hardening of metallic alloys by electrospark deposition followed by plasma nitriding, 210

Surface treatment
Effects of the surface temperature and cooling rate on the residual stresses in a flame hardening of 12Cr steel, 140

Thermal analysis
Reduction of the heat treatment process for Al-based alloys by utilization of heat from the solidification process, 24
Thermo-mechanical effects
A contribution to a qualitative understanding of thermo-mechanical effects during chip formation in hard turning, 214
TiNi shape memory alloy
Study on brazing of TiNi shape memory alloy with stainless steels, 8
Titanium
A new binder for powder injection molding titanium and other reactive metals, 205
Triple detectors
A study on development of inductive sensor for automatic weld seam tracking, 111

Ultra-fine grains
Numerical studies on processing routes and deformation mechanism of multi-pass equal channel angular pressing processes, 251

Welded joints
Defect characterization in Al welded joints by non-contact Lamb wave technique, 95

Yield function
Investigation through factorial design on novel method of preparing vanadium carbide using carbon during aluminothermic reduction, 133